

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : **7,558,154**
APPLICATION NO.: 10/501,271
ISSUE DATE : July 7, 2009
INVENTOR(S) : Dirk-Jan Van Manen, Johan Olof Robertsson, and Aslaug Strommen Melbo

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 11, line 26 (portion of claim 1):**seismic dab containing only events arising from critical****Is corrected to:****seismic data containing only events arising from critical**

MAILING ADDRESS OF SENDER (Please do not use customer number below):

**Pramudji Wendt and Tran, LLP
1800 Bering Drive, Suite 540
Houston, Texas 77057**

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.